

Certificate of Compliance

4851 BAYVIEW STAIRWAY CHEST

1. This product meets applicable U.S. consumer product safety requirements.
1213 1303 1500 1513
2. Trendwood, Inc. (Sales@Trendwood.com)
120 East Watkins Street
Phoenix, AZ 85004
(602) 416-7800
3. Manufactured by Trendwood, Inc.
4. Manufactured by Trendwood, Inc.
5. Trendwood, Inc. (Sales@Trendwood.com)
120 East Watkins Street
Phoenix, AZ 85004
(602) 416-7800 contact: Scott Coor
6. Date: All products manufactured by Trendwood, Inc. Each carton is clearly labeled with the date - M/D/Y and place the product was manufactured.
7. Diversified Testing Laboratories 2013
Specialized Technology Resources (HK) Ltd. 2013
8. Lab info: Diversified Testing Laboratories, Inc.
Lab address - 336 West Front Street
Burlington, NC 27215
Phone - (336) 227-7710
9. STR Lab - Specialized Technology Resources (HK) Ltd.
16-17/F Tower B, Regent Centre
63 Wo Yi Hop Road, Kwai Chung, N.T., Hong Kong
Tel: +(852) 2423 3092
Fax: +(852) 2480 5436
E-Mail: enquiries@strhk.com
www.strhk.com

